

S.No	Items	Specifications
1	Laptop Core i7	Complete Set Intel Core i7 Equivalent Processor Speed: Intel Core i7 8th Gen or updated Ram: 8 GB Hard Drive: 1TB HDD Optical Drive: DVD RW Display: 15.6-inch HD (1366 x 768) Truelife LED-backlit display Wifi: Yes Lan: Yes Graphics: 2 GB AMD REDEON R5 M430
2	Laptop Core i5	Complete Set Intel core i5 ,8th Gen or updated 8 GB Ram DDR4 1TB HDD
3	Laptop Core i3	Complete Set Intel core i5 , 8th Gen or updated 8 GB Ram DDR4 1tb GB HDD
4	Computer Set Intel core i7	Complete Set Processor Type Intel core i7, 9th Gen or updated RAM size 4GB Hard drive size 1TB PROCESSOR Processor Speed 3.6 GHz Max Turbo Frequency 4.2 GHz Processor Bits 64 Processor Threads 4 No of Cores Quad-Core L2 cache L3 cache 8MB MEMORY RAM size 8GB Type of memory DDR4 SDRAM STORAGE Hard drive size 1TB RAID controllers SSD Memory card reader Yes Type of memory cards SD Memory Card GRAPHICS CARD Graphics processor AMD Radeon R7 450 Keyboard & Mouse
5	Computer Set Intel Core i5	Complete Set Intel Core i5 9th Gen or updated Ram 4 GB Hard disk 1 TB Hard disk Screen 19"

6	Computer Set Intel Core i3	Complete Set Intel Core i3 9th Gen or updated Processor 2.5 GHz Ram 4 GB Hard disk 500 GB
7	Laptop trolley for wards	Laptop trolley for wards
8	Ultra Flat Wall Mount Computer Station	Ultra Flat Wall Mount Computer Station
9	Splicing Machine	For Fiber installation
10	4 TB Hard Disk 1 TB Hard Disk 500 GB Hard Disk	With 7200 rpm speed 1 year warranty
11	8TB External HDD	8TB External Hard disk with fastest Speed
12	RAM (4GB)DDR3	4GB Single DDR3 Ram
13	RAM(8GB)DDR3	8GB Single DDR3 Ram
14	RAM(4GB)DDR2	4GB DDR4 SDRAM
15	Semis Cell	Computer CELL
16	4TB External HDD	Seagate 4TB Backup Plus Portable Hard Drive 4TB Storage Capacity USB 3.0 Connectivity Bus Powered Plug-and-Play Compatible USB 3.0 Cable Included Preformatted for Windows Mac Compatible with Reformatting
17	Mouse	<u>Genuine DELL MS111-P USB Optical Mouse 3 BUTTON WHEEL</u> Brand: Dell Interface: USB Type: Standard Connectivity: Wired
18	Keyboard	<ul style="list-style-type: none"> • Product Dimensions : 6 x 17 x 2 inches • Item Weight : 1.4 pounds • Shipping Weight : 1.4 pounds (View shipping rates and policies) • Manufacturer : Dell Computers • ASIN : B008C4JA66 • Origin : Made in USA or Imported
19	Wireless Keyboard / Mouse	Wireless Keyboard and Mouse Combo - KM714 Dell
20	Branded Power Cable	Power cable Original Branded with Fuse Power cable Original Branded With Fuse

		For Computer Pc Desktop Printer scanner UPS And House Hold Items 3 pin Socket Sport 3 Pin Supply voltage 250
21	VGA Cable	VGA Branded Cables Normal Length
22	VGA to HDMI	VGA to HDMI
23	VGA Cable 15M	VGA Branded Cables 15M
24	VGA splitter	
25	HDMI To VGA Cable Converter	Universal HDMI To VGA Cable Converter
26	DVD R/W	DVD-R/W 4.7 GB
27	LAN CARD USB	USB LAN 3.0 To RJ45 Lan Network Ethernet Adapter Card Converter
28	USB sound card	
29	PCI LAN CARD	PCI Slot for LAN (Network) card
30	PRINTER DATA Cable	Branded Printer Cable
31	HDMI Cable	HDMI 25 meter Cable
32	HDMI to VGA Converter	HDMI to VGA Converter
33	HDMI to DVI Converter	HDMI to DVI Converter
34	12 volt Adopters	12volt Adopters (2.4, 3 Amp)
35	24 volt adopters	24 volt adopters(3, 3.4 Amp)
36	6 volt Adopters	6 volt Adopters(2 Amp)
37	USB 8GB 2.0 (3.0)	USB 8GB 2.0 (3.0)
38	USB 16GB 3.0	USB 16GB 3.0
39	USB 32GB 3.0	USB 32GB 3.0
40	Ribbon	Ribbon for TSC ME-240
41	Label	Label for TSC ME-240
42	LQ ribbons	LQ Dot matrix ribbon
43	External CD Rom	USB external DVD ROM with data and power cable box pack
44	Laptop Power cable	Branded Laptop Power cable
45	Black Copper thermal Printer	Black Copper Thermal Receipt Printer heavy duty
46	Thermal printer a4 size with single paper	
47	M604 Printer	HP LaserJet Enterprise M604
48	HP LaserJet Pro 400 M451nw	HP LaserJet Pro 400 M451nw
49	Epson LQ printer	Epson LQ dot matrix printer
50	HP LaserJet Enterprise 600	HP LaserJet Enterprise 600 Printer M602n

	Printer M602n	
51	TSC label printer	TSC label printer
52	HP LaserJet pro M12a	HP LaserJet pro M12a
53	HP LaserJet pro M15a	HP LaserJet pro M15a
54	HP SCANJET G3110 Photo Scanner	HP SCANJET G3110 Photo Scanner Equivalent
55	HP laserjet scanner 2500	
56	HP LaserJet Pro P1108 Printer	HP LaserJet Pro P1108 Printer
57	HP LaserJet Pro 400 color Printer M451dn	HP LaserJet Pro 400 color Printer M451dn
58	HP LaserJet 1020 Plus Printer	HP LaserJet 1020 Plus Printer
59	HP laserjet scanner 2500	HP laserjet scanner 2500 and equivalent series
60	HP 3 in one Laser Jet Printer	HP 3 in one Laser Jet Printer Print, Copy, Scan, Fax Upto 22ppm PrintSpeed First Page out as fast as 7.6 Secs Laser Print Technology Wifi + LAN + USB
61	Canon CanoScan LiDE 300 Color Image Scanner	Canon CanoScan LiDE 300 Color Image Scanner or equivalent
62	HP 80A Toner	HP 80A Black Original LaserJet Toner Cartridge
63	HP 85A Toner	HP 85A Black LaserJet Toner Cartridge rates for simple and original
64	HP 17a tonner	HP 17a Black LaserJet Toner Cartridge rates for simple and original
65	HP 19a Toner	HP 19a Toner rates for simple and original
66	HP 90A tonner	HP 90A tonner rates for simple and original
67	HP M252 color printer tonner	HP M252 color printer tonner
68	HP 49A Toner	HP 49A Black LaserJet Toner Cartridge rates for simple and original
69	HP 53A Toner	HP 53A Black LaserJet Toner Cartridge rates for simple and original
70	HP 79A Black Compatible	HP 79A Black Compatible Toner Cartridge

	Toner Cartridge	
71	HP 81A Toner	Compatible HP 81A Black Toner Cartridge rates for simple and original
72	Hp pro 400 Printer Fuser	HP LaserJet Pro 400 M401n Fuser full Unit
73	Hp 1320 Printer Fuser	HP LaserJet 1320 Fuser Unit - 110 / 120 Volt
74	Hp 2015 Printer Fuser	HP LaserJet P2015 Fuser Unit - 120 Volt
75	Hp 1102 Printer Fuser	LaserJet Pro P1102w Fuser / Delivery Unit - 110 / 120 Volt
76	Printer Clutch for printers (all models)	Printer Clutch for printers (all models)
77	Pressure Roller printers (all models)	Pressure Roller printers (all models)
78	Heater printers (all models)	Heater printers (all models)
79	Formative Card (all models)printers	Formative Card (all models)printers
80	Hp pro400 printer Paper picker	Hp pro400 printer Paper picker
81	Hp 1320 printer Paper picker	Hp 1320 printer Paper picker
82	Hp 1102 printer Paper picker	Hp 1102 printer Paper picker
83	HP pro 400 printer heat sleeve	For HP LaserJet Pro 400 M401 M425 M401d M401dn M425dn M425dw Fuser Film Sleeves, For HP M401 M425 400 M 401 425 Fixing Film
84	HP 1102 printer heat sleeve	10X HP LaserJet P1102 P1606 M1536 M401 M425 P2035 P2055 1213NF Fuser Film Sleeve
85	Hp 1102 printer Fuser Roller	Compatible NEW for HP P1102W P1560 P1566 P1102 P1536 P1606dn Fuser Pressure Roller Lower sleeve roller LPR-1102-000 LPR-1102
86	Hp pro400 printer Fuser Roller	Pressure Roller Lower sleeve roll
87	Hp 1320 printer heat sleeve	FILM1320 Fuser Film Sleeve, OEM for HP LaserJet 1320
88	Magnet for tonner	Magnet for tonner
89	Hp Enterprise M553 toners	Hp Enterprise M553 toners
90	Drums for HP pro400, 1320, 1102, 1109, M604 etc for tonners	Drums for HP pro400, 1320, 1102, 1109, M604 etc for tonners
91	Toner powder INK 80a ,85a	Refill Toner powder 280A 80A 80X 280X 280 CF280X CF280A For HP Laserjet pro 400 401 452 printer
92	Toner powder INK	Refill Toner powder INK

	17a	17a
93	HP LaserJet Pro M1536DNF All-In-One Printer (Print, Copy, Scan, Fax)	HP LaserJet Pro M1536DNF All-In-One Printer (Print, Copy, Scan, Fax)
94	Multimedia along with wall screen	Multimedia along with wall screen
95	Network Cable	Cat-6 A stp High quality Cable
96	Network Switch 8 Port	8-Port Unmanaged Gigabit Switch
97	Network Switch 16 Port	16-Port Unmanaged Gigabit Switch
98	Network Switch manageable 24 port with 4sfp	24-Port Manageable Gigabit Switch
99	Network Switch manageable 48 port with 4 sfp	48-Port Manageable Gigabit Switch
100	Wifi Router (Short Range)	Wifi Router (Short Range)
101	Wifi Router (Long Range)	Wifi Router (Long Range)
102	Rj 45 Connector	Rj 45 steel Connector and simple
103	Rj 11 connector	Rj 11 connectors
104	Jointer	Rj 45 jointer
105	Network Digital Metter	Digital Network Cable Tester Meter With Length Measurement With Battery
106	IT-Tech Network Toolkit	Electrical adhesive tape CRV red black Rubber plastic screwdriver 5*100(-) Crystal box 22pc(8p:10pcs 6p:6pcs 4p:6pcs CRV red black Rubber plastic hand Shank screwdriver 5*100(+) Precision screwdrivers 2.4(-) 2.4(+) Digital electrical pen test 12-250v Long flat nose pliers wire stripper Network pliers Wire cutter Network tester
107	PoE Switches 24 Port	24 port Gigabit POE switch
108	Network Switch Rack	Network Switch Rack 2U
109	Network Switch Rack	Network Switch Rack 4U
110	Network Switch Rack	Network Switch Rack 6U

111	Network Switch Rack	Network Switch Rack 8U
112	Network Switch Rack	Network Switch Rack 27U
113	Network Switch Rack	Network Switch Rack 42U
114	Window Server 2008, 2012, and 2016 License	Window Server 2008 and 2012, 2016 License
115	Window 10 License	Window 10 License
116	Antivirus kaspersky server and client point	Antivirus kaspersky server and client point
117	Antivirus nod32 server and client point	Antivirus nod32 server and client point
118	Humidity control set	For Data Centre
119	Temperature control set	For Data Centre
120	Fire Alarm System	For Data Centre
121	Fire Fighting Kit	For Data Centre
122	SAN	For DRS
123	Hardware Firewall	For Data Centre
124	Electric Soldering Iron	Electric Soldering Iron
125	Heat gun	Heat Gun Machine
126	Photostat Machine/copier	Heavy duty photo state machine
127	Fax Machine	
128	Camera	Still Photography 20 Megapixel HD
129	UPS .5 KVA	UPS .5 KVA
130	UPS 1 KVA	UPS 1 KVA
131	UPS 3KVA	3KVA with dry batteries 2 hr minimum backup
132	UPS 2KVA	2KVA dry batteries 2 hr minimum backup
133	UPS 4KVA	UPS 4KVA
134	UPS 5 KVA	Online UPS 5 KVA UPS with 4 X 150 Ampere Dry Batteries for long Backup up to 02 Hours. Dry batteries
135	DVD	Re writeable DVD's
136	Speaker	Column Speaker
137	Amplifier	MIC Amplifier
138	LED	LED 40 inch
139	LED	LED 49 inch
140	Laptop Trolley	Laptop Trolley
141	Patch Cord	Patch Cord

142	ODF Box	12 Ports, 6 ports Fixed Type Rack Mount ODF
143	Pigtails	High Quality Fiber Optic Pigtail
144	SFP module	SFP module
145	SFP transceiver Modules	SFP transceiver Modules
146	IP Cameras 5 MP	5 MEGAPIXEL BULLET IP CAMERA
147	IP Cameras 4 MP	<p>4 MEGAPIXEL BULLET IP CAMERA WDR LXIR Network Camera 1/3" 4Megapixel progressive scan CMOS Support H.264 H.265 dual codec 25/30fps@4M(2688×1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3.6mm fixed lens (6mm optional) 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Micro SD memory, IP67, PoE Micro SD card slot, up to 128GB PoE+ Built-in high Quality Microphone /Built-in audio out for public address system</p>
148	3.0 speed dome camera	3.0 MP speed dome camera with 48X Zoom
149	Electric Cable	Electric Cable 3/29
150	PoE Switches 16 Port	PoE Switches 16 Port
151	Hammer	heavy duty hammer
152	Solder Sucker Removal Tool	Desoldering Pump Zd205 Solder Sucker Removal Tool
153	2m bit error rate tester	2m bit error rate tester
154	Wire Stripper	Wire Stripper
155	RJ45 CAT6E Lan I/O	RJ45 CAT6E Lan I/O
156	I/O Face Plate	I/O 3X3 1M Dual Face Plate
157	Stairs	Stairs
158	Dell Server Rack 42 U	Dell Server Rack 42 U genuine
159	Dual Mode Biometric Time and Attendance	Dual Mode Biometric Time and Attendance Terminal 1200 facial templates

		<ul style="list-style-type: none"> • 2000 fingerprint templates • Up to 10,000 cards • Up to 100,000 stored punches
160	Biometric Time and Attendance	<p>Fingerprint Capacity: 3,000 templates Card Capacity: 10,000 Transaction Capacity: 100,000 Fingerprint Sensor: Optical Algorithm Version: Finger v10.0 Communications: TCP/IP Card Functions: RFID Display: 3 inches Color Screen Power Supply: 5V DC 2 hrs minimum power backup ZK Software</p>
161	USB Fingerprint Scanner	<p>USB Fingerprint Scanner</p> <ul style="list-style-type: none"> • Stable operation under strong light • Support live fingerprint detection function • Large fingerprint capture area and high image performance
162	Electric Lock	Electric Lock High Quality
163	I\O	Baynet
164	Faceplate	Baynet
165	I/O Back box	Back Box
166	Cat6 Connector Cover	
167	Tagging Machine	
168	Cable Tie 4"	
169	Cable Tie 6"	
170	Cable Tie 8"	
171	Cable Tie 10"	
172	Turk Plast Pipe 1"	
173	Turk Plast Pipe 2"	
174	Metal U Clip 1"	Metal U Clip for Pipe
175	Metal U Clip 2"	Metal U Clip for Pipe
176	2U Rack	
177	4U Rack	
178	9U Rack	
179	27U Rack	

180	pigtail sc to sc	
181	pigtail lc to sc	
182	patch panel 24	
183	SFP module	
184	PDU	
185	KJ nut	For Switch Hang
186	Pvc Cable Duct 1"	
187	Pvc Cable Duct 2"	
188	PVC Duct Cutter	
189	Cable Tags	
190	i/o punching tool	
191	Magnetic door lock	<ul style="list-style-type: none"> • Inport material, high quality and reliability • Unlock when power off, no residual magnetism, convenient to escape • No noise, envirenmental-friendly and Energy-saving • Anti-rust processes, anti-corrosion and wear-resistant, easy to repair • Unlock by key, manual, controller, intelligent sensor • Fit for electric door, escape door, fire door, glass door, wooden door, etc
192	Door Lock Button	
193	Laptop Adopter	Hp, Dell, Acer, Toshiba, Lenovo
194	Laptop Batteries	Hp, Dell, Acer, Toshiba, Lenovo
195	12 Channel Wireless Microphone System	12 Channel Wireless Microphone System
196	Table MIC	Best Quality Table MIC
197	Stereo Cable	Stereo Cable
198	Stereo Cable Extension	Stereo Cable Extension
199	Branded Rackmount Server Category 1	<p>Chassis: 1U Rackmount with Dual Processors Support</p> <p>Processors: Single Intel Xeon Silver 4210 13.75MB Cache Processors or Higher</p> <p>Memory: 64GB (2x 32GB) DDR4-2933 MT/s RDIMM, Dual Rank or Higher (Upgradable to 1TB per Socket)</p> <p>Chassis: Minimum 8x 2.5-Inch Drive Supported</p> <p>Hard Drives: 3x 600GB SAS 12G 10K Enterprise (2.5in) Drives</p>

		<p>RAID: PCIe Based RAID Controller with 2GB Cache</p> <p>Ethernet: Integrated 1GB Quad Port Network Adapter</p> <p>Optical Drive: Internal DVD-RW Drive</p> <p>Management: Dedicated Management Port</p> <p>Expansion: Three PCI Express 3.0 slots, at least One x16 PCIe slots or Higher</p> <p>Rail Kit: Sliding Rails with Cable Manager</p> <p>Power Supply: Dual 800W Flex Slot Platinum 94% Efficient Hotplug Low Halogen Power Supplies</p> <p>Warranty: 3-Year Parts, Labor, Onsite support with next business days response</p>
200	Branded Rackmount Server Category 2	<p>Chassis: 2U Rackmount</p> <p>Processors: Dual Intel Xeon Silver 4210 13.75MB Cache Processors or Higher</p> <p>Memory: 128GB (4x 32GB) DDR4-2933 MT/s RDIMM, Dual Rank or Higher (Upgradable to 1TB per Socket)</p> <p>Chassis: Minimum 8x 2.5-Inch Drive Supported</p> <p>Hard Drives: 3x 1.92TB SAS 12G Mixed Use SFF (2.5-Inch) SSD Drives</p> <p>RAID: PCIe Based RAID Controller with 2GB Cache</p> <p>Ethernet: Integrated 1GB Quad Port Network Adapter</p> <p>Optical Drive: Internal DVD-RW Drive</p> <p>Management: Dedicated Management Port</p> <p>Expansion: Six PCI Express 3.0 slots, at least two x16 PCIe slots or Higher</p> <p>Rail Kit: Sliding Rails with Cable Manager</p> <p>Power Supply: Dual 800W Flex Slot Platinum 94% Efficient Hotplug Low Halogen Power Supplies</p> <p>Warranty: 3-Year Parts, Labor, Onsite support with next business days response</p>
201	Branded Rackmount Server Category 3	<p>Chassis: 1U Rackmount with Dual Processor Support</p> <p>Processors: Single Intel Xeon Silver 4210 13.75MB Cache Processors or Higher</p> <p>Memory: 32GB (2x 16GB) DDR4-2933 MT/s RDIMM, Dual Rank or Higher (Upgradable to 1TB per Socket)</p> <p>Chassis: Minimum 8x 2.5-Inch Drive Supported</p> <p>Hard Drives: 4x 4TB SAS 12G Midline 7.2K LFF SC Digitally Signed Firmware HDDs</p> <p>RAID: PCIe Based RAID Controller with 2GB</p>

		<p>Cache</p> <p>Ethernet: Integrated 1GB Quad Port Network Adapter</p> <p>Optical Drive: Internal DVD-RW Drive</p> <p>Management: Dedicated Management Port</p> <p>Expansion: Three PCI Express 3.0 slots, at least One x16 PCIe slots or Higher</p> <p>Rail Kit: Sliding Rails with Cable Manager</p> <p>Power Supply: Dual 800W Flex Slot Platinum 94% Efficient Hotplug Low Halogen Power Supplies</p> <p>Warranty: 3-Year Parts, Labor, Onsite support with next business days response</p>
202	SAN Storage	<p>OS Support: The Storage Array should support minimum of industry-leading Operating System platforms including: Windows 2016 & 2012 R2, RHEL 6.x & 7.x, SLES, Vmware, 6.7, 6.5 & 6.0</p> <p>Capacity & Scalability: <u>1.</u> The Storage Array shall be offered with 100TB Capacity using 10 drives (10x 10TB drives).</p> <p><u>2.</u> For effective power saving, Storage Subsystem shall be supplied with 2.5" small form factor SFF/3.5" Large form factor drives.</p> <p><u>3.</u> Storage shall be scalable to minimum of 60 or higher number of drives.</p> <p>Front End Ports: Offered Storage shall be supplied with minimum of Dual 16Gbps FC (Four ports per controller)</p> <p>FC SFPs & Cables: 4x 16GB FC SFPs and 4x Fibre Cable OM4 LC/LC 10 Meter</p> <p>Back End: Offered Storage Subsystem back-end engine shall be running on latest SAS (12Gbps) speed</p> <p>Architecture: <u>1.</u> The Storage Array should support dual, redundant, hot-pluggable, active-active array controllers for high performance and reliability.</p> <p><u>2.</u> Offered storage shall have optional flexibility to create a wide strip pool so that a single volume can be striped across all spindles of a given type.</p> <p>Point of Failure: Offered Storage Array shall be configurable in a No Single Point of configuration</p> <p>Drive Support: <u>1.</u> Offered Storage Array shall support minimum 900/1200/1800/2400 GB hot-pluggable Enterprise SFF SAS hard drives, 480/960/1920GB SSD or higher.</p> <p><u>2.</u> For LFF drives, offered Storage Array shall support minimum of 4/6/8/10/12 TB SAS MDL drive.</p> <p>Drive Filler: Hard drive filler as per remaining disks of enclosure</p>

		<p>Cache: <u>1.</u> Offered Storage Array shall be given with minimum of 8GB cache per controller in a single unit. <u>2.</u> Cache shall be backed up in case of power failure of indefinite time either using batteries or capacitors or any other equivalent technology. <u>3.</u> Offered Storage shall also have optional support for Flash cache using SSD / Flash drives. Offered Storage shall support at-least 400GB Flash Cache.</p> <p>RAID Support: Offered Storage Subsystem shall support RAID 0, 1, 5, 6, 10, 50 any combination of RAID levels can exist in single Array</p> <p>Clone Copying: <u>1.</u> Offered Storage shall be configured with Array based Snapshot and Clone functionality and shall be configured for minimum 64 Snapshots. <u>2.</u> Offered Storage Array shall support at-least 512 point in time copies.</p> <p>Replication: Offered Storage Subsystem shall support storage-based replication to DR location</p> <p>Thin Provisioning & Data Tiering: <u>1.</u> Offered Storage shall have optional Sub-LUN real time automated tiering for moving data among SSD, Enterprise SAS drives and SAS-MDL drives for performance optimization. <u>2.</u> Offered Storage shall have optional thin provisioning support.</p> <p>Rails: Rack rail kit must be included</p> <p>Warranty: Storage Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business days response</p>
203	<p>Network Switch Manageable 24 Port – 2 SFP</p>	<p>24 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3 Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 2 SFP 100/1000 Mbps ports (IEEE 802.3z Type 1000BASE-X, IEEE 802.3u Type 100BASE-FX)</p> <p>16 Gbps or more Capability 256 or More VLANS 9000 byte Jumbo Frame or Higher Full Layer 2 Features Static Routing, DHCP, ARP Static Routing, DHCP, ARP (Layer 3 Feature) RJ 45 & SFP Ports Rack mounting Kit ARM Cortex-A9 @ 400 MHz or Higher Processor 256 MB SDRAM or Higher 64 MB flash or Higher 1.5MB Packet Buffer Size Web browser; SNMP Manager or Higher</p>

		3 Year Warranty with On Site Support
204	Network Switch Manageable 48 Port – 4 SFP	<p>48 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3 Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 4 SFP 100/1000 Mbps ports (IEEE 802.3z Type 1000BASE-X, IEEE 802.3u Type 100BASE-FX)</p> <p>16 Gbps or more Capability</p> <p>256 or More VLANs</p> <p>9000 byte Jumbo Frame or Higher</p> <p>Full Layer 2 Features</p> <p>Static Routing, DHCP, ARP</p> <p>Static Routing, DHCP, ARP (Layer 3 Feature)</p> <p>RJ 45 & SFP Ports</p> <p>Rack mounting Kit</p> <p>ARM Cortex-A9 @ 400 MHz or Higher Processor</p> <p>256 MB SDRAM or Higher</p> <p>64 MB flash or Higher</p> <p>1.5MB Packet Buffer Size</p> <p>Web browser; SNMP Manager or Higher</p> <p>3 Year Warranty with On Site Support</p>
205	PoE Switch 24 Port	<p>12 RJ-45 autosensing 10/100/1000 PoE+ ports; Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 12 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3 Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 2 SFP 100/1000 Mbps ports (IEEE 802.3z Type 1000BASE-X, IEEE 802.3u Type 100BASE-FX)</p> <p>16 Gbps or more Capability</p> <p>256 or More VLANs</p> <p>9000 byte Jumbo Frame or Higher</p> <p>Full Layer 2 Features</p> <p>Static Routing, DHCP, ARP</p> <p>Static Routing, DHCP, ARP (Layer 3 Feature)</p> <p>RJ 45 & SFP Ports</p> <p>Rack mounting Kit</p> <p>ARM Cortex-A9 @ 400 MHz or Higher Processor</p> <p>256 MB SDRAM or Higher</p> <p>64 MB flash or Higher</p> <p>1.5MB Packet Buffer Size</p> <p>Web browser; SNMP Manager or Higher</p> <p>3 Year Warranty with On Site Support</p>