

16

S. No	Items	Specifications
1	Laptop Core i7	Complete Set Intel Core i7 Processor Speed: Intel Core i7 12th Gen or updated Ram: 8 GB Hard Drive: 1 Tb SSD Optical Drive: DVD RW Display: 15.6-inch HD (1366 x 768) Truelife LED-backlit display Wifi: Yes Lan: Yes Graphics: 2 GB AMD REDEON R5 M430
2	Laptop Core i5	Complete Set Intel core i5, 12th Gen or updated 8 GB Ram DDR4 1 Tb SSD Display: 15.6-inch HD (1366 x 768) Truelife LED-backlit display Wifi: Yes Lan: Yes
3	Laptop Core i3	Complete Set Intel core i3 , 12th Gen or updated 8 GB Ram DDR4 1 Tb SSD Display: 15.6-inch HD (1366 x 768) Truelife LED-backlit display Wifi: Yes Lan: Yes
4	Computer Set Intel core i7	Complete Set Processor Type Intel core i7, 12th Gen or updated RAM size 4GB Hard drive size 256 GB SSD PROCESSOR Processor Speed 3.6 GHz Screen 19 HP/Dell or equivalent Keyboard & Mouse
5	Computer Set Intel Core i5	Complete Set Intel Core i5 12th Gen or updated Ram 4 GB Hard disk 256 Gb SSD Screen 19 HP/Dell or equivalent"

Forwarded to
DM SCIPS

[Signature]

[Signature]

[Signature]

6	Computer Set Intel Core i3	Complete Set Intel Core i3 11th Gen or updated Processor 2.5 GHz Ram 4 GB Hard disk 1 Tb SSD Screen 19 HP/Dell or equivalent
7	Laptop trolley for wards	Laptop trolley for wards
8	Ultra Flat Wall Mount Computer Station	Ultra Flat Wall Mount Computer Station
9	Splicing Machine	For Fiber installation
10	4 TB Hard Disk	2.5-inch consumer drives typically spin at 7200 RPMs. 1 year warranty
11	1 TB Hard Disk	2.5-inch consumer drives typically spin at 7200 RPMs.1 year warranty
12	128 Gb SSD	copy speed 30 to 150 MB per second (MB/s) 1 year warranty
13	256 Gb SSD	copy speed 30 to 150 MB per second (MB/s) 1 year warranty
14	500 Gb SSD	copy speed 30 to 150 MB per second (MB/s) 1 year warranty
15	1 TB SSD	copy speed 30 to 150 MB per second (MB/s) 1 year warranty
16	8TB External HDD	System Requirements Formatted NTFS for Microsoft Windows 10, Windows 8.1, Windows 8, Windows 7. Available USB2.0 or USB3.0 Port Power USB BUS power (max. 900mA) Hard Drive Format ;NTFS (Microsoft Windows)
17	RAM (4 GB) DDR4	Capacity 4 GB Speed PC4-19200 (2400 MHz) Memory Type DDR4 DIMM Type 288-Pin DIMM
18	RAM (4GB)DDR3	Single 4GB DDR3 memory module for desktop computers · 1600MHz memory, PC3- 12800 specification · 240 pins, voltage of 1.5V
19	RAM(8GB)DDR3	8GB Single DDR3 RAM
20	RAM(4GB)DDR2	4GB Single DDR4 RAM
21	Semis Cell	Computer BIOS CELL
22	4TB External HDD	4TB Backup Plus Portable Hard Drive System Requirements Formatted NTFS for Microsoft Windows 10, Windows 8.1, Windows 8, Windows 7. Available USB2.0 or USB3.0 Port Power USB BUS power (max. 900mA) Hard Drive Format ;NTFS (Microsoft Windows)

23	Mouse	Dell/ HP/A4 tech or equivalent Interface: USB Type: Standard Connectivity: Wired
24	Keyboard	<ul style="list-style-type: none">• Product Dimensions : 6 x 17 x 2 inches• Item Weight : 1.4 pounds• Shipping Weight : 1.4 pounds (View shipping rates and policies)• Manufacturer : Dell Computers• ASIN : B008C4JA66• Origin : Made in USA or Imported
25	Wireless Keyboard / Mouse	Wireless Keyboard and Mouse Combo Dell/ HP/ A4tech or equivalent
26	Branded Power Cable	Power cable Original Branded with Fuse Power cable Original Branded With Fuse For Computer Pc Desktop Printer scanner UPS And House Hold Items 3 pin Socket Sport 3 Pin Supply voltage 250
27	VGA Cable	Supported 3840 x 2160 pixels VGA Branded Cables Standard Length
28	VGA to HDMI Convertor	Converted display VGA to HDMI
29	VGA Cable 15M	Supported 3840 x 2160 pixels VGA Branded Cables 15M
30	VGA splitter	Bandwidth 250 mHz Electronic device type VGA Device type Splitter Maximum resolution 1920x1440
31	HDMI To VGA Cable Converter	Universal HDMI To VGA Cable Converter
32	DVD R/W	DVD-R/W 4.7 GB
33	LAN CARD USB	USB LAN 3.0 To RJ45 Lan Network Ethernet Adapter Card Converter
34	PCI LAN CARD	PCI Slot for LAN (Network) card
35	PRINTER DATA Cable	USB 1.1 cables support data transfer rates up to 12 megabits per second (Mbps). USB 2.0 cables support data transfer rates up to 480

[Handwritten signature]

		Mbps. USB 3.0 cables support data transfer rates of up to 5.0 Gbit/s.
36	HDMI Cable	HDMI 25 meter Cable
37	HDMI to VGA Converter	HDMI to VGA Converter
38	HDMI to DVI Converter	HDMI to DVI Converter
39	Zoom Conference Camera	Zoom Conference Camera Built-in camera 360 Mic Speaker out
40	Laptop Adopter Power Cable phool cable	Branded cable Laptop Adopter Power Cable
41	05 Volt Adopters	05 Volt Adopters (0.8 Amp)
42	12 volt Adopters	12volt Adopters (2.4, 3 Amp)
43	24 volt adopters	24 volt adopters(3, 3.4 Amp)
44	6 volt Adopters	6 volt Adopters(2 Amp)
45	USB 8GB 2.0 (3.0)	USB 8GB 2.0 (3.0)
46	USB 16GB 3.0	USB 16GB 3.0
47	USB 32GB 3.0	USB 32GB 3.0
48	LQ ribbons LQ 350/300	LQ Dot matrix ribbon
49	External CD Rom	USB external DVD ROM with data and power cable box pack
50	Fargo IDP 5000 Ribbon	Ribbon
51	Laptop Power cable	Branded power cable with fuser Laptop Power cable
52	Thermal Printer	Thermal Receipt Printer heavy duty
53	Thermal printer a4 size with single paper	Printing technology Thermal Connectivity technology USB Sheet size A4 Colour White Resolution 300 x 300 DPI Hardware interface USB
54	Heavy duty Printer	processor Pentium 166 MHz processor RAM 64 MB Free disk space 150 MB Connectivity Hi-Speed 2.0 USB port or 3.0 Usb Port. Main input tray 150 sheets of regular weight 75 g/m2 (20-lb paper) Priority feed slot 10 sheets of paper up to 163 g/m2 (43 lb) Top (face down) output bin

[Handwritten signature]

		<p>100 sheets of regular weight 75 g/m2 (20-lb paper) Output bin 60 to 105 g/m2 (16 lbsto 28lbs) paper size Minimum: 76 x 127 mm (3 x 5 inches) Maximum: 216 x 356 mm (8.5 x 14 inches) voltage 230-volt 220-240V (+/-10%) 50/60 Hz (+/-2 Hz) 2 amps</p>
55	Printer	<p>Speed Print : Up to 18 ppm (A4), Exact speed varies depending on the system configuration, software application, driver and document complexity. Processor 266 MHz Memory 2 MB Resolution Print: Up to 600 x 600 x 2 dpi (1200 dpi effective output) ; HP FastRes 600, HP FastRes 1200</p>
56	dot matrix printer	<p>Paper Weight Continuous paper : 45 - 90 gsm Single part paper : 45 - 90 gsm Multi part paper : 35 - 40 gsm Copy Capability Normal print mode: original + 4sheets(Total Thickness < 0.36mm) High copy print mode: original + 5 sheets(Total Thickness <0.48mm)</p>
57	TSC label printer	<p>Print Resolution: 600 x 1200 dpi native; up to 1200 x 4800 dpi Droplet size: 4 picolitre Print Speeds: Up to 63.5 mm (2.5") per second Inks: Single high capacity CMY ink cartridge, process black</p>
58	3 in One Printer	<p>HP 3 in one Laser Jet Printer Print, Copy, Scan, Fax Upto 22ppm PrintSpeed First Page out as fast as 7.6 Secs Laser Print Technology Wifi + LAN + USB</p>
59	HP 80A Tonner	HP 80A Black Original LaserJet Toner Cartridge
60	HP 107A tonner	HP 107A Black LaserJet Toner Cartridge rates for simple and original
61	HP 37A tonner	HP 37A Black LaserJet Toner Cartridge rates for simple and original
62	HP 76A tonner	HP 76A Black LaserJet Toner Cartridge rates for simple and original

[Handwritten signature]

11

63	HP 105 A tonner	HP 105A Black LaserJet Toner Cartridge rates for simple and original
64	HP 05A tonner	HP 05A Black LaserJet Toner Cartridge rates for simple and original
65	HP 85A Toner	HP 85A Black LaserJet Toner Cartridge rates for simple and original
66	HP 17a tonner	HP 17a Black LaserJet Toner Cartridge rates for simple and original
67	HP 19a Toner	HP 19a Toner rates for simple and original
68	HP 90A tonner	HP 90A tonner rates for simple and original
69	HP M252 color printer tonner	HP M252 color printer tonner
70	HP 49A Toner	HP 49A Black LaserJet Toner Cartridge rates for simple and original
71	HP 53A Toner	HP 53A Black I LaserJet Toner Cartridge rates for simple and original
72	HP 79A Black Compatible Toner Cartridge	HP 79A Black Compatible Toner Cartridge
73	HP 81A Toner	Compatible HP 81A Black Toner Cartridge rates for simple and original
74	Hp pro 400 Printer Fuser	HP LaserJet Pro 400 M401n Fuser full Unit
75	Hp 1320 Printer Fuser	HP LaserJet 1320 Fuser Unit - 110 / 120 Volt
76	Hp 2015 Printer Fuser	HP LaserJet P2015 Fuser Unit - 120 Volt
77	Hp 1102 Printer Fuser	LaserJet Pro P1102w Fuser / Delivery Unit - 110 / 120 Volt
78	Printer Clutch for printers (all models)	Printer Clutch for printers (all models)
79	Pressure Roller printers (all models)	Pressure Roller printers (all models)
80	Heater printers (all models)	Heater printers (all models)
81	Formative Card (all models)printers	Formative Card (all models)printers
82	Hp pro400 printer Paper picker	Hp pro400 printer Paper picker
83	Hp 1320 printer Paper picker	Hp 1320 printer Paper picker
84	Hp 1102 printer Paper picker	Hp 1102 printer Paper picker

Signature

10

85	HP pro 400 printer heat sleeve	For HP LaserJet Pro 400 M401 M425 M401d M401dn M425dn M425dw Fuser Film Sleeves, For HP M401 M425 400 M 401 425 Fixing Film
86	HP 1102 printer heat sleeve	10X HP LaserJet P1102 P1606 M1536 M401 M425 P2035 P2055 1213NF Fuser Film Sleeve
87	Hp 1102 printer Fuser Roller	Compatible NEW for HP P1102W P1560 P1566 P1102 P1536 P1606dn Fuser Pressure Roller Lower sleeve roller LPR-1102-000 LPR-1102
88	Hp pro400 printer Fuser Roller	Pressure Roller Lower sleeve roll
89	Hp 1320 printer heat sleeve	FILM1320 Fuser Film Sleeve, OEM for HP LaserJet 1320
90	Magnet for tonners	Magnet for tonner (all models)
91	Hp Enterprise M553 toners	Hp Enterprise M553 toners
92	Drums for HP pro400, 1320, 1102, 1109, M604 etc for tonners	Drums for HP pro400, 1320, 1102, 1109, M604 etc for tonners
93	Toner powder INK 80a ,85a	Refill Toner powder 280A 80A 80X 280X 280 CF280X CF280A For HP Laserjet pro 400 401 452 printer
94	Toner powder INK 17a	Refill Toner powder INK 17a
95	All-In-One Printer (Print, Copy, Scan, Fax)	All-In-One Printer (Print, Copy, Scan, Fax)
96	Multimedia along with wall screen	Multimedia along with wall screen
97	Window Server 2008, 2012, and 2016 License	Window Server 2008 and 2012, 2016 License
98	Window 10 License	Window 10 License
99	Antivirus kaspersky server and client point	Antivirus kaspersky server and client point
100	Antivirus nod32 server and client point	Antivirus nod32 server and client point
101	Electric Soldering Iron	Electric Soldering Iron
102	Heat gun	Heat Gun Machine
103	Photostat Machine/copier	Heavy duty photo state machine standard functions Colour network scan, Copy, Email, Print optical functions Internet fax, LAN fax, Network fax server enablement, Walkup fax copy speed up to 25 ppm/up to 30 ppm connectivity 10/100BaseTX Ethernet\ USB Device memory 512 MB / 768 MB

Slahzaad

		<p>Device memory 512 MB / 768 MB hard drive Standard 40 GB Documents handler Duplex Automatic Document Feeder Capacity: 75 sheets standard paper capacity 1,100 sheets maximum paper capacity 5,100 sheets processor PowerPC® 333 MHz scan destinations Colour network scanning, Network scanning, Scan to desktop, Scan to email, Scan to home, Scan to mailbox scan resolution (optional)600 x 600 dpi</p>
104	UPS .5 KVA	UPS .5 KVA
105	UPS 1 KVA	UPS 1 KVA
106	UPS 3KVA	3KVA with dry batteries 2 hr minimum backup
107	UPS 2KVA	2KVA dry batteries 2 hr minimum backup
108	UPS 4KVA	UPS 4KVA
109	UPS 5 KVA	Online UPS 5 KVA UPS with 4 X 150 Ampere Dry Batteries for long Backup up to 02 Hours. Dry batteries
110	DVD	Re writeable DVD's
111	Speaker	<p>Column Speaker power Supply: DC 24V/2.7A, PoE (IEEE802.3af), PoE+ (IEEE802.3at) Standby Power Consumption: ≤3W Rated Power Output: 20W (at DC 24V/2.7A powered) 18W (at PoE+ powered) 15W (at PoE powered)</p>
112	Amplifier	<p>MIC Amplifier POWER AMPLIFIER Impedance 8Ω 4Ω 2Ω Power Output (per channel) (Continuous, 20 Hz - 20 kHz, <1% THD) 400 W 600 W 800 W* IMD (300 W) ITU-R (19 kHz + 20 kHz) 0.0006% SMPTE (60 Hz + 7 kHz) 0.0016%</p>
113	LED 4K Smart 60 inch	<p>Size 60" Full HD</p>

[Handwritten signature]

		Resolution 4K Supported usb yes hdmi 3 wifi connectivity Smart TV
114	LED 4K Smart 43 inch	Display Size 43 inch Screen Type LED 3D No Smart TV Yes Resolution Standard 4K Resolution (pixels) 3840x2160
115	LED 4K Smart 55 inch	Size 55" Full HD Resolution 4K Supported usb yes hdmi 3 wifi connectivity
116	LED 4k Smart 32 inch	Size 32" Full HD Resolution 4K Supported usb yes hdmi 3 wifi connectivity
117	LED Normal for Computers 19 inch	Supported 1920x 1080 pixel
118	Normal for Computers 20 inch	Supported 1920 x 1080 pixel
119	Normal for Computers 22 inch	Supported 1920 x 1080 pixel

Signature
Shahza

		Power: 90 W AC Adapter, 130 W AC Adapter
145	All in One Computer Core i5	Processor: 11th Generation Intel Core i5 (12 MB cache, 4 cores, 8 threads, up to 4.70 GHz Turbo) Operating System: Windows 11 Home, English Graphics Card: Intel Iris Xe Graphics Display: 22", FHD 1920x1080, 60Hz, Touch, Infinity Edge Memory: 8 GB, DDR4, 2666 MHz, integrated + 1 x 4 GB, DDR4, 2666 MHz Hard Drive: 512 GB, M.2, PCIe NVMe, SSD Stand: A-Frame stand Wireless: Intel Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1 Power: 90 W AC Adapter, 130 W AC Adapter
146	All in One Computer Core i3	Processor: 11th Generation Intel Core i3 (12 MB cache, 4 cores, 8 threads, up to 4.70 GHz Turbo) Operating System: Windows 11 Home, English Graphics Card: Intel Iris Xe Graphics Display: 22", FHD 1920x1080, 60Hz, Touch, Infinity Edge Memory: 8 GB, DDR4, 2666 MHz, integrated + 1 x 4 GB, DDR4, 2666 MHz Hard Drive: 512 GB, M.2, PCIe NVMe, SSD Stand: A-Frame stand Wireless: Intel Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1 Power: 90 W AC Adapter, 130 W AC Adapter
147	Printer	HP\Dell\Brothers\kesoria or Equivalent
148	All in One Core 2 duo	Processor 3.2 Core 2 duo 4 Gb Ram 128 GB SSD Operating System: Windows 11 Home, English Graphics Card: Intel Iris Xe Graphics Display: 20", FHD 1920x1080, 60Hz, Touch, Infinity Edge Memory: 8 GB, DDR4, 2666 MHz, integrated + 1 x 4 GB, DDR4, 2666 MHz Hard Drive: 512 GB, M.2, PCIe NVMe, SSD Stand: A-Frame stand Wireless: Intel Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1 Power: 90 W AC Adapter, 130 W AC Adapter
149	Printer	Engine speed Up to 40 pages A4 per minute Resolution 300 dpi, 600 dpi, 1,200 dpi Warm-up time Approx. 17 seconds or less Time to first print Approx. 6.4 seconds or less Time to first copy Approx. 6.4 seconds or less

[Handwritten Signature] *[Handwritten Signature]*

6

120	Hammer	heavy duty hammer
121	Solder Sucker Removal Tool	De soldering Pump ZD205 Solder Sucker Removal Tool
122	2m bit error rate tester	2m bit error rate tester
123	Wire Stripper	Wire Stripper
124	Stairs	Stairs
125	Dell Server Rack 42 U	Dell Server Rack 42 U genuine
126	Dual Mode Biometric Time and Attendance	Dual Mode Biometric Time and Attendance Terminal 1200 facial templates • 2000 fingerprint templates • Up to 10,000 cards • Up to 100,000 stored punches
127	Biometric Time and Attendance	Fingerprint Capacity: 3,000 templates Card Capacity: 10,000 Transaction Capacity: 100,000 Fingerprint Sensor: Optical Algorithm Version: Finger v10.0 Communications: TCP/IP Card Functions: RFID Display: 3 inches Color Screen Power Supply: 5V DC 2 hrs minimum power backup ZK Software
128	USB Fingerprint Scanner	USB Fingerprint Scanner • Stable operation under strong light • Support live fingerprint detection function • Large fingerprint capture area and high image performance
129	Electric Lock	Voltage: Up to 12 VDC/AC. Start current: 1.5~3A. Suitable for: Wooden door, Metal door. Material: Stainless Steel. Electric Lock. Dual cylinder electronic lock. Three keys. Inside Opening Door.
130	Tagging Machine	
131	Magnetic door lock	Inport material, high quality and reliability Unlock when power off, no residual magnetism,

[Handwritten signature]
Shaykh

		convenient to escape No noise, environmental-friendly and Energy-saving Anti-rust processes, anti-corrosion and wear-resistant, easy to repair Unlock by key, manual, controller, intelligent sensor Fit for electric door, escape door, fire door, glass door, wooden door, etc
132	Laptop Adopter	19.5 Voltage 3.5 Amp 18.5 voltage 3.3 amp Hp, Dell, Acer, Toshiba, Lenovo or other Brand
133	Laptop Batteries	As per laptop supported voltage Hp, Dell, Acer, Toshiba, Lenovo or other Brand
134	12 Channel Wireless Microphone System	12 Channel Wireless Microphone System
135	Table MIC	Best Quality Table MIC
136	Stereo Cable	Stereo Cable
137	Stereo Cable Extension	Stereo Cable Extension
138	Radiant Viewer Com Viewer	Licensing
139	HDF Fargo 5000	Tonner
140	HDF Fargo 5000	Printer
141	Black copper	Printer head
142	Tsc me 240	Printer head
143	Hp laserjet inter Price M553 dn color printer Color	Cartages tonner
144	All In One Computer Core i7	Processor: 11th Generation Intel Core i7 (12 MB cache, 4 cores, 8 threads, up to 4.70 GHz Turbo) Operating System: Windows 11 Home, English Graphics Card: Intel Iris Xe Graphics Display: 22", FHD 1920x1080, 60Hz, Touch, Infinity Edge Memory:8 GB, DDR4, 2666 MHz, integrated + 1 x 4 GB, DDR4, 2666 MHz Hard Drive: 512 GB, M.2, PCIe NVMe, SSD Stand: A-Frame stand Wireless: Intel Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1



		Dimensions (W x D x H) Main unit: 417 x 412 x 437 mm Weight Main unit: Approx. 19 kg Power consumption Printing: Power source AC 220 ~ 240 V, 50 Hz Noise (ISO 777) Safety standards General memory Standard 512 MB, max. 1,536 MB Max. input capacity with options 100 sheets Max. Output capacity Max. 150 sheet face down with paper full detection Processor 800 MHz
150	Network Switch 8 Port	Supports 8 10/100/1000Mbps Gigabit Ethernet ports. Supports auto-MDI/MDIX crossover detection and auto-correction. Supports 10/100Mbps full/half duplex modes and 1000Mbps full duplex mode. Supports wire-speed package filtering and forwarding rates. Supports store-and-forward architecture with fragment and CRC error package filtering. Supports IEEE 802.3az Energy Efficient Ethernet. Supports 8K MAC address table & 9KB jumbo frame. Designed with fan-less quiet operation & metal case. Plug and play, no installation required. Supports 12V DC, 1A external power adapter.
151	Network Switch 16 Port Unmanaged switch	Front and Back Mesh Door, Front and Rear Mounting Channels, Side Panels removable, 2 * Fixed Trays(Shelves), 1 * Sliding Tray(Rail Arm Shelf), 4 * FANS Installed with 4 Wheels and Castors, eight: 42 U (2000mm),Width: 600mm, Depth: 1000mm
152	Patch Cords	Patch Cords
153	ODF Box	24 port 12 Ports, 6 ports Fixed Type Rack Mount ODF
154	SFP transceiver Modules	SFP transceiver Modules (Head and Tail)
155	I/O Face Plate	I/O 3X3 1M Dual Face Plate
156	I/O	Baynet
157	Faceplate	Baynet
158	I/O Back box	Back Box Baynet
159	Cat6 Connector Cover	Cat6 Connector Cover (High Quality)

[Handwritten signature]

160	4U Rack	4U of rack-mount space, Fits standard rack-mount equipment, Rail depth, Solid compact design, 1 removable side panels with key locks, Locking glass door, can be installed to open to the left or right, 2 keys, – Top and bottom open brackets for cable and wire access, – Venting slots throughout for equipment cooling, – Our digital images may vary. However, different monitors may cause colors to vary slightly.
161	9U Rack	12 M6 Cage Nuts, 4 Lag Bolts for Wall Mounting, 9U Rack Mount Units, External Dimensions: Height 20" x Width 24" x Depth 24", Designed for equipment with a 19" mounting profile, Vented Top/Sides/Front Panels for adequate airflow, Reversible front door with tempered glass window, Removable side panels for easy access to equipment, Front and Side Panels are lockable with included set of keys, Top/Bottom/Real Knockouts for easy cable entry and exit, Supports up to 130lbs when secured properly, Flat Packed - Assembly Required
162	27U Rack	Robust design, aesthetic appearance, 27U Rack 600x600 (1 Fix & 1 Sliding Tray), 2 Fans Options, Front Tinted Glass Door with Locks, Wheels with Lock, Black Color, Size in Inches (Height 48" x Depth 26" x Width 23.5")
163	pigtail sc to sc	pigtail sc to sc
164	pigtail lc to sc	pigtail lc to sc
165	patch panel 24	Color:Black, Component Type: Patch Panel, Connection Type: RJ45, Form Factor: Angled, FlatHeight:3.94 in, 4.65 in, Height (Metric), 100 mm, 118 mm, 44 mm, Number of Ports, 24, 48, solution for Access Network: FTTH/FTTB/CATV, Access Network: xDSL, Enterprise Network: Data Center, Enterprise Network: POLS, Enterprise Network: Structured Cabling, Width 1.75 in, 3.5 in, Width (Metric), 44.5 mm, 482.6 mm, 89 mm
166	SFP module	Generic SFP 10G Modules
167	I/O punching tool	Both use for punching RJ45 and RJ11 I/O's
168	Network Switch	24 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3

Signature

	Manageable 24 Port – 2 SFP	Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 2 SFP 100/1000 Mbps ports (IEEE 802.3z Type 1000BASE-X, IEEE 802.3u Type 100BASE-FX), ,128 Gbps or more Capability,256 or More VLANS, Static Routing, DHCP, ARP, Static Routing, DHCP, ARP (Layer 3 Feature),RJ 45 & SFP Ports,Rack mounting Kit,400 MHz or Higher Processor, 256 MB SDRAM or Higher, 64 MB flash or Higher, 1.5MB Packet Buffer Size, Web browser; SNMP Manager or Higher, 3 Year Warranty with On Site Support
169	Network Switch Manageable 48 Port – 4 SFP	Ethernet switches with 10G Gigabit uplinks, 4 total, 2 each SFP+ and copper 10GBASE-T. They support Layer 3 static routing, 4 high stacking, 802.1X login, ACLs., Routing/switching Capacity: 52-port models 176 Gbps., Intelligent Management Center Limited command-line interface Web browser SNMP manager HTTPS RMON1 FTP Supported by HPE IMC and generic SNMP management platforms. 3 Years warrenty
170	PoE Switch 24 Port	24× 802.3at/af-compliant PoE+ ports with a total power supply of 250 W, 24× gigabit PoE+ ports and 4× gigabit SFP Slots provide high-speed connections, IP-MAC-Port Binding, ACL, Port Security, DoS Defend, Storm control, DHCP Snooping, 802.1X, Radius Authentication, and more., Standards and Protocols: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE802.3z, IEEE 802.3ad, IEEE 802.3x, IEEE 802.3az, IEEE 802.1d, IEEE 802.1s, IEEE 802.1w, IEEE 802.1q, IEEE 802.1p, IEEE 802.1x, Interface: • 24× 10/100/1000 Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX), 4× Gigabit SFP Slots, Fan Quantity: 2, Rack Mountable, Bandwidth/Backplane: 56 Gbps, VLAN: VLAN Group, Max. 4K VLAN Groups, 802.1Q tag VLAN, MAC VLAN, Protocol VLAN, GVRP, Voice VLAN Switch Layer: L3, With 3 Years warrenty
171	Cat 6A cable	Frequency: Up to 500 MHz, Maximum Cable Length: 100 meters across all systems and conditions for Gigabit Ethernet, Theoretical Top Speed:10 Gbps over 100 meters (330 feet) of cable, Standard gauges in conductors: 16-20 AWG wire
172	INSTALLATION OF FIBER OPTIC AND NETWORK CABLE RAT PER METER	Rate of 12 Core Fiber Optic installation per meter

[Handwritten signature]
[Handwritten initials]

9

173	Long range point to point wireless router unidirectional	Incredible range up to 12.5 miles, 23dBi vertically polarized antenna, Wireless data rates up to 433Mbps, Robust construction, Simple and flexible installation, Uses TD-MAX for greater performance, Centralized management with CPE Assistant
174	Kyserio Refiller ink	1000 gram
175	147 A tonner	147 A tonner for M611 Printer
176	Hp laserjet M607 Fuser	Hp laserjet M607 Fuser, maintenance kit
177	Hp laserjet M607 picker	Hp laserjet M607 picker
178	KAndu Label sticker Head	KAndu Label sticker Head
179	HP laserjet M607 Printer LED	HP laserjet M607 Printer LED
180	CAT6	CAT 6 Cable

Estimated Cost of IT Equipment is RS 20,000,000 & 2% CDR of estimated cost must be attached.

 