

**MEDICAL GASES STORE ITEMS (REMAINING NON-QUOTED)**

1	Reducing Coupling, 3/4" x 1/2", Copper as per sample	
2	Reducing Coupling, 3/4" x 1.5", Copper as per sample	
3	Reducing Coupling, 3/4" x 2", Copper as per sample	
4	Reducing Coupling, 3/4" x 2", Copper as per sample	
5	Reducing Coupling, 3/4" x 3", Copper as per sample	
6	Reducing Coupling, 3/4" x 1.5", Copper as per sample	
7	Reducing Coupling, 1/2" x 1.5", Copper as per sample	
8	Reducing Coupling, 1/2" x 2", Copper as per sample	
9	Reducing Coupling, 1/2" x 2", Copper as per sample	
10	Reducing Coupling, 1/2" x 3", Copper as per sample	
11	Reducing Coupling, 1-1/2" x 3/4", Copper as per sample	
12	Reducing Coupling, 1x1/2" x 1.5", Copper as per sample	
13	Reducing Coupling, 1x1/2" x 2", Copper as per sample	
14	Reducing Coupling, 1x1/2" x 2", Copper as per sample	
15	Reducing Coupling, 1x1/2" x 3", Copper as per sample	
16	Reducing Coupling, 1x1/2" x 3/4", Copper as per sample	
17	Reducing Coupling, 1" x 1/2", Copper as per sample	
18	Reducing Coupling, 1" x 3/4", Copper as per sample	
19	Reducing Coupling, 1" x 1.5", Copper as per sample	
20	Reducing Coupling, 1" x 2", Copper as per sample	
21	Reducing Coupling, 1" x 2", Copper as per sample	
22	Reducing Coupling, 1" x 3", Copper as per sample	
23	Reducing Coupling, 1.5" x 1/2", Copper as per sample	
24	Reducing Coupling, 1.5" x 3/4", Copper as per sample	
25	Reducing Coupling, 1.5" x 2", Copper as per sample	
26	Reducing Coupling, 1.5" x 3", Copper as per sample	
27	Reducing Coupling, 2" x 1/2", Copper as per sample	
28	Reducing Coupling, 2" x 3/4", Copper as per sample	
29	Reducing Coupling, 2" x 3", Copper as per sample	
30	Reducing Coupling, 2" x 1.5", Copper as per sample	
31	Reducing Coupling, 3" x 1/2", Copper as per sample	
32	Reducing Coupling, 3" x 3/4", Copper as per sample	
33	Reducing Coupling, 3" x 2", Copper as per sample	
34	<b>Metal Brass description Adapter Screw Connector for valve fitting</b>	
35	Reducing Coupling, 3/4" x 1/2", Metal Brass as per sample	
36	Reducing Coupling, 3/4" x 1.5", Metal Brass as per sample	
37	Reducing Coupling, 3/4" x 2", Metal Brass as per sample	
38	Reducing Coupling, 3/4" x 2", Metal Brass as per sample	
39	Reducing Coupling, 3/4" x 3", Metal Brass as per sample	
40	Reducing Coupling, 3/4" x 1.5", Metal Brass as per sample	
41	Reducing Coupling, 1/2" x 1.5", Metal Brass as per sample	
42	Reducing Coupling, 1/2" x 2", Metal Brass as per sample	
43	Reducing Coupling, 1/2" x 2", Metal Brass as per sample	
44	Reducing Coupling, 1/2" x 3", Metal Brass as per sample	
45	Reducing Coupling, 1-1/2" x 3/4", Metal Brass as per sample	
46	Reducing Coupling, 1x1/2" x 1.5", Metal Brass as per sample	
47	Reducing Coupling, 1x1/2" x 2", Metal Brass as per sample	
48	Reducing Coupling, 1x1/2" x 2", Metal Brass as per sample	
49	Reducing Coupling, 1x1/2" x 3", Metal Brass as per sample	
50	Reducing Coupling, 1x1/2" x 3/4", Metal Brass as per sample	
51	Reducing Coupling, 1" x 1/2", Metal Brass as per sample	
52	Reducing Coupling, 1" x 3/4", Metal Brass as per sample	
53	Reducing Coupling, 1" x 1.5", Metal Brass as per sample	
54	Reducing Coupling, 1" x 2", Metal Brass as per sample	
55	Reducing Coupling, 1" x 2", Metal Brass as per sample	
56	Reducing Coupling, 1" x 3", Metal Brass as per sample	
57	Reducing Coupling, 1.5" x 1/2", Metal Brass as per sample	
58	Reducing Coupling, 1.5" x 3/4", Metal Brass as per sample	

59	Reducing Coupling, 1.5" x 2", Metal Brass as per sample	
60	Reducing Coupling, 1.5" x 3", Metal Brass as per sample	
61	Reducing Coupling, 2" x 1/2", Metal Brass as per sample	
62	Reducing Coupling, 2" x 3/4", Metal Brass as per sample	
63	Reducing Coupling, 2" x 3", Metal Brass as per sample	
64	Reducing Coupling, 2" x 1.5", Metal Brass as per sample	
65	Reducing Coupling, 3" x 1/2", Metal Brass as per sample	
66	Reducing Coupling, 3" x 3/4", Metal Brass as per sample	
67	Reducing Coupling, 3" x 2", Metal Brass as per sample	
68	<b>Oxygen outlet point description</b>	
69	French Standard Gas Outlets with base complete as per sample	
70	Japanese Standard Gas Outlets with base complete as per sample	
71	Chinese Standard Gas Outlets with base complete as per sample	
72	German Standard Gas Outlets with base complete as per sample	
73	DISS Medical Gas Outlets with base complete with lead as per sample	
74	Medical Gas Outlets Precision UK with base complete as per sample	
75	Medical GAS Adapters description as per sample	
76	British Standard Quick Probe Adaptors as per sample	
77	Coupling Adapters of outlet point wall mounted as per sample	
78	Twin Coupling Valves	
79	<b>Suction Regulator description</b>	
80	American Type Suction Regulator complete as per sample	
81	French Type Suction Regulator complete as per sample	
82	German Type Suction Regulator complete as per sample	
83	British type Suction Regulator complete as per sample	
84	Japanese type Suction Regulator complete as per sample	
85	CPX Suction Regulator complete as per sample	
86	Suction injector AV500 Penlon as per sample	
87	<b>Compressor types description</b>	
88	Three Stage Medical air Filter as per sample	
89	Four Stage Medical air Filter as per sample	
90	Medical Sterile air Filters as per sample	
91	OXM- Oxygen Purity Meter (Inline oxygen analyzer measures oxygen purity from 0-100% at flows up to 12 SCFH. Perfect for verifying oxygen purity from your oxygen generator real-time. Max O2 pressure rating of 50 PSI) 230 LPM / 14 Nm3/Hr Produces 600 SCFH oxygen at up to 65 PSI Flow up to 12 SCFH (6 LPM) oxygen Pressure up to 50 PSI oxygen Relay alarm for low oxygen purity Analog or digital output, Optional LCD display,Optional remote monitoring (wireless monitoring & data logging kit) Optional visual strobe light Optional audible alarm	
92	Wireless Monitoring & Data Logging Kit 0-5V Universal Sensor — Wi-Fi OTA as per sample	
93	CFC High Pressure Filter Inline High Pressure as per sample	
94	Bacteria Filters Compressed intake filters remove over 80% of particulate contaminants to 0.3 micron.	
95	Compressed Air Filters as per sample	
96	Breathing Air Filters as per sample	
97	Medical & Surgical Air Plant as per sample	
98	Medical Vacuum Filters as per sample	
99	Automatic Condensate Drains as per sample	
100	Aftercoolers with Moisture Separators as per sample	
101	PSA Medical Oxygen Generator as per sample	
102	Medical Air Dryers, Model MDX 7700,Pewaauew:13 Br,Flow:7700 M3/MIN,W=1440,V/HZ/PH=230/50/1	
103	Medical Vacuum Pumps as per sample	
104	Compressed Air & Gas Dryers as per sample	
105	Medical Oilless Air Compressor as per sample	
106	5-15 HP TWO STAGE OIL-FREE PISTON COMPRESSORS as per sample	
107	Two Stage Oil-Free Rotary Screw Compressors D-Series 37-75kW CompAir has extended its oil free rotary screw compressor range with the new D37-D75 (RS) Series as per sample	
108	Oil Free Screw Air Compressor Manufacturer & Supplier in China /oriented Working pressure: 7-8bar   102-145psig Capacity: 3.9-46m3/min   137-1624cfm Working Power: 45-250KW Noise: 69±3 –	

109	Pressure Vessels as per sample	
110	Compressed Air Receivers Tank as per sample	
111	Vacuum Receiver & Tank as per sample	
112	Oxygen Receivers Tank as per sample	
113	American type Oxygen Regulator for cylinders use. as per sample	
114	French Type Oxygen Regulator for cylinders use. as per sample	
115	German type Oxygen Regulator for cylinders use.. as per sample	
116	British type Oxygen Regulator for cylinders use. as per sample	
117	Japanese type Suction Regulator cylinders use complete as per sample	
118	Medical Oxygen Regulator with Humidifier Material: Main brass + aluminum alloy flow meter; as per sample	
119	Oxygen Regulator - Click Type with Humidifier Bottle (No need Spanner - Easy Hand Tightened) as per sample	
120	American type Oxygen flow meter for central supply system as per sample	
121	French Type Oxygen flow meter for central supply system as per sample	
122	German type Oxygen flow meter for central supply system as per sample	
123	British type Oxygen flow meter for central supply system as per sample	
124	Brass Body Medical Gas Flowmeter	
125	China Products Amercian Style Aluminum Oxygen Regulator as per sample	
126	Western Medical EMS Oxygen Flow Control Regulator, MPR-501, Click Style, as per sample	
127	Fire Extinguisher description	
128	Conventional Fire Alarm Control Panel 4 Zone Item No.: AW-CFP2166-4	
129	electronic Smoke Detector LPCB EN54 Approve	
130	Fire detector (A device which can detect a fire, and provide a signal to an alarm circuit. Fire detectors can be operated by smoke, flames, and heat, or any combination of these factors. Flame detectors are rarely used on board ships these days. Heat detectors are used in places such as the galley and laundry. Smoke detectors are used in machinery spaces, accommodation areas and cargo holds.	
131	Smoke detector:A smoke detector is an electronic fire-protection device that automatically senses the presence of smoke, as a key indication of fire, and sounds a warning to building occupants.	
132	Medical Equipment Hospital Use Head Panel Fireproofing,Antistatic,Anti-Bacterial,Mould-Proof with Lamp	
133	Water De-Hydrant (Class A:suitable for Cloth,Wood,Rubber,Paper,Various plastics, and rgular combustibile fires.The extinguishing agent is water or fome) 8kg Capacity.	
134	CO2 De-Hydrant (Class B: Suitable for gasoline,oil fires.The extinguishing agent is water or fome) 8kg Capacity.	
135	De-hydrant Class D:Suitable for combustibile metals.The extinguishing agent dry powdered chemical ) 8kg Capacity.	
136	Foam Type Portable Wheeled fire	
137	Wet Chemical.	
138	Refilling water dehydrant Class A	
139	Refilling of CO2 Class B	
140	Refilling of CO2 Class C	
141	Refilling of CO2 Class D	
142	Refilling of CO2 Class ABC	
143	CO2 Portable Wheel Fire Extinguisher, capacity 7Kg	
144	Dry Chemical Powder Portable wheeld fire wxtinguisher capacity 150Kg	
145	Foam Type Portable wheeld fire extinguisher capacity 50Kg	
146	Water Type Portable wheeld fire extinguisher capacity 50ltr	
147	Halotron Type Portable wheeld fire extinguisher capacity 50Kg	
148	Fire HoseBox With all accessories	
149	Oxygen Generator items. Description	
150	Oil seprater cartridge (oxygen generator)	
151	Air filter as per sample	
152	Pre filter element as per sample	
153	Coalescing element as per sample	
154	Feed valve rebit kit as per sample	
155	wast valve rebit kit as per sample	
156	equalization valve rebuild kit as per sample	

157	oxygen buster filter as per sample	
158	Pressure relive valve as per sample	
159	pistone ring 1st stage as per sample	
160	pistone ring 2nd stage as per sample	
161	solenoid valve as per sample	
162	Eco drain as per sample	
163	Motor bearing as per sample	
164	suction regulator as per sample	
165	compresser valve as per sample	
166	manifold valve as per sample	
167	oxygen regulator for VIE tank pressure, 0.20bar, compleet with all aspects as per sample	
168	Manifold Bottle regulator 300 bar as per sample	
169	Oxygen flowmeter nozzle with cap as per sample	
170	Stikers for Medical gasess equipment as per sample	
171	Rak tabung APAR JS-APAR 06/Dadukan as per sample	
172	Fire point trolley with assessories including first aid kit and cylinders as per sample	
173	Digital Area Alarm unit as per sample	
174	Ms Steel analog Gas Alram System	
175	Handi Medical Oxygen liquid Purity analyzer Maxtec Model Handi Made in USA) as per sample	
176	Line Valve Description	
177	Line valve Kitz with fitting 4" as per sample	
178	NRV Valve discription as per sample	
179	Non valve with fitting 1/4" as per sample	
180	Non valve with fitting 1/2" as per sample	
181	Non valve with fitting 3/4" as per sample	
182	Non valve Kitz with fitting 1" as per sample	
183	Non valve Kitz with fitting 3" as per sample	
184	Non valve Kitz with fitting 4" as per sample	
185	Needle Valve with fitting 1.5" as per sample	
186	Medical Air compressor Parts Description	
187	Automatic Tank Drain (Elite only) as per sample	
188	Low Oil monitor (Elite Only) as per sample	
189	Inner cooler safety valve as per sample	
190	Air filter (2 required) as per sample	
191	Compressor pump as per sample	
192	Discharge safety valve as per sample	
193	Belt guard after cooler (Elite only) as per sample	
194	Belt guard as per sample	
195	sigt glass as per sample	
196	Electric motor drive pulley as per sample	
197	Motor pulley hub as per sample	
198	Electric motor as per sample	
199	Magnetic starter as per sample	
200	Pressure switch as per sample	
201	Pressure gauge as per sample	
202	Compressor tank as per sample	
203	Check valve as per sample	
204	Air Compressor Pressure Valve Switch Control Manifold Regulator Gauges as per sample	
205	2 PCs x Barometer(Plastic cover) as per sample	
206	1 PC x Automatic Air Pressure Switch as per sample	
207	1 PC x Safety Clique(valve) as per sample	
208	1 PC x Ball Clique Switch (valve) as per sample	
209	1 PC x Bracket as per sample	
210	Cyliders trolley description. as per sample	

211	Small oxygen cylinder trolley - 20 cylinders capacity suitable for up to 3 size F or HX, and 16 size CD, ZD or D oxygen cylinder bottles. 25mm dia. steel tube handle and front end. Two 1.6mm thick steel supporting shelves. Mounted on 2 fixed, and 2 braked 125mm dia. swivel (ATH) marking blue rubber tyred castors. Overall H x W x L: 1000 x 560 x 890mm. Capacity 120kg. Weight 30kg.	
212	Medical oxygen cylinder large trolleys <ul style="list-style-type: none"> <li>• For size F or HX oxygen cylinder .</li> <li>• Fitted with revolving protective buffers and anti-static wheels.</li> <li>• Safety loop handle.</li> <li>• Crossbars secured by butterfly screw fittings.</li> <li>• Rubber lined cradles for grip and low noise.</li> <li>• Weight 11kg. G Design No. Overall W x D x H mm</li> </ul>	
213	Medical Cylinder Trolley, 8 Cylinder Capacity, 24" x 60" x 48" Gas Cylinder Truck. Move bulky gas cylinders by hand with this heavy-duty steel truck. Thick 7 gauge deck is reinforced with 1-1/2" square tubing and substantial 7 gauge gussets. Square tube uprights support 1/4" thick corral dividers. Heavy-duty chain secures the cylinders during transport. Low deck for easy loading and unloading. 2 swivel and 2 rigid casters with 8" phenolic wheels. Loop handle at swivel end. Overall height (empty) is 48". Product dimensions: 24" x 60" x 48".	
214	Wheeled Caster Frame for 6 Cylinder Storage Rack, Black(as per sample)	
215	Other items description	
216	Oxygen Gas Leak Control and Display Alarm Panel for there Oxygen and NO Cylinder storage Room	
217	Medical Air Comp	
218	Oxygen Gas Alarm	
219	Medical Gas Area Alarm System	
220	Large Oxygen Cylinder Wall Mount	
221	E or D Cylinder Wall Mount Rack (2, 3, 4, 5, and 8 cylinder options)	
222	METALIC DECANTING HOSE W/ DIGITAL PRESSURE GAUGE & as per sample	
223	Suction injector Complete as per sample	
224	Emergence Stop botton as per sample	
225	Heat Exchanger Air/water as per sample	
226	Heat Exchanger Oil/water as per sample	
227	Protective Clothes as per sample	
228	Protective glasses as per sample	
229	High Pressure Medical Hose for Pendant Used with Oxygen Flowmeter	
230	Liquid Oxygen Flexible Hose Pipe Material Stainless Braided steel Hose Brand SS Flex-Hose	
231	Medical Oxygen Hose Tube for Medical Gas Connector Material: No Toxic PVC, PVC Kind: Thermoplastics Pipes Water Absorption: <0.01% Contraction Percentage: <0.4% Tensile Strength: 3.46MPa Pressure: 20 Bar	
232	Auto/Manual Switch as per sample	
233	Cylinders Pressure Gaguge as per sample	
234	Oxygen Concentration Light as per sample	
235	oxygen liquid purity analyzer as per sample	
236	Hand Tool Set as per sample	
237	Universal Wrench Set Adjustable Wrench Multi-function as per sample	
238	Fully Automatic Oxygen Control Panel, For Medical as per sample	
239	Semi Automatic Oxygen Control Panel as per sample	
240	Area Control Unit (Unit of your gas management system.Dräger)or equivalent as per sample	
241	Area Control Unit (Unit of your gas management system.local)or equivalent as per sample	
242	Wall-mounted bed head unit MG-HB	
243	Medical Bed Head Unit ICU and Ward Bed Head Panel Oxygen Supply System Type for Hospital (O2,Vacuum,Air,N2O,etc.according to different requirement With different standards.like Pak/British/french/South African/American/German,etc or equivalent	
244	Medical Vacuum Hose for Pendent Suction Unit as per sample	
245	Operation Theatre Control Panel or equivalent as per sample	

246	Control Panel Board-Oxygen or equivalent as per sample	
247	Classic Brass Wall Mount Pipe Clips Quarter Pipes as per sample	
248	Classic Brass Wall Mount Pipe Clips for Copper pipe ¾". as per sample	
249	Classic Brass Wall Mount Pipe Clips for Copper pipe ½". as per sample	
250	Classic Brass Wall Mount Pipe Clips for Copper pipe 1x1/2" as per sample	
251	Classic Brass Wall Mount Pipe Clips for Copper pipe 1" as per sample	
252	Classic Brass Wall Mount Pipe Clips for Copper pipe 1.5" as per sample	
253	Classic Brass Wall Mount Pipe Clips for Copper pipe 2" as per sample	
254	Classic Brass Wall Mount Pipe Clips for Copper pipe 3" as per sample	
255	Brand new empty Oxygen Cylinder size 240 cft MM 2000psi (Verified tested)	
256	Brand new empty Oxygen Cylinder size 48 cft MF 2000psi (Verified tested)	
257	Brand new empty Oxygen Cylinder size 24 cft 2000psi (Verified tested)	
258	Brand new empty Oxygen Cylinder size 98 cft 2000psi (Verified tested)	
259	Brand new empty Compressed Air Cylinder size 240 cft MM (Verified tested)	
260	Brand new empty Nitrous Cylinder size 16200 liter MM (Verified tested)	
261	Brand new empty Nitrous Cylinder size 1620 liter (Verified tested)	
262	Brand new empty carbon dioxide cylinders MM (Verified tested)	
263	Brand new empty Nitrogen Cylinder size 240 cft MM (Verified tested)	
264	Hydraulic Testing of all kind of brand new cylinders (Verified tested)	
265	High pressure washer Voltage:220-240V 50/60Hz carbon brush motor Pure copper Wire input power:1400W Max Pressure:130Bar (1900PSI) Flow rate:5.5L/min Auto stop system 1 set water spray gun 5m high pressure hose Packed color box	
266	Flexible washing Pipe 1" as per sample	
267	Oxygen termination valve 1" plastic material as per sample	
268	Oxygen Multi flow meter as per sample made in china	
269	Oxygen Tracker high volume which tells flow, pressure, temperaure, size=1" & with fittings as per sample	
270	Oxygen Tank, 10000 Liter as per sample	
271	Oxygen Tank, 5000 Liter as per sample	
272	Air tank 5 cubic meter	